

Anti-RNA Polymerase III Subunit C7 Rabbit pAb

Purified Rabbit Polyclonal Antibody


Catalog # P012811

Product Information


Application	WB, IHC-P/IF (Tissue-P), ELISA
Reactivity	Human, Mouse
Dilution	WB 1:500~1:1,000; IHC-P 1:50~1:100; ELISA 1:10,000
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Label	Unconjugated
Immunogen	The antiserum was produced against synthesized peptide derived from the Internal region of human POLR3G.
Format	Buffer System: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3. Purification: Affinity Purified.
Storage	Shipped on wet ice. Store at -20°C. Stable for 24 months from date of receipt. Aliquoting is unnecessary for -20°C storage.
Precautions	Anti-RNA Polymerase III Subunit C7 antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information


Synonyms	POLR3G, DNA-directed RNA polymerase III subunit RPC7, RNA polymerase III subunit C7, DNA-directed RNA polymerase III subunit G, RNA polymerase III 32 kDa subunit, RPC32.
Calculated MW	Calculated MW: 26 kDa; Observed MW: 26 kDa
Uniprot ID	O15318
Gene ID	10622
Background	DNA-dependent RNA polymerase catalyzes the transcription of DNA into RNA using the four ribonucleoside triphosphates as substrates.



Western blot analysis of RNA Polymerase III Subunit C7 in PC-12 lysates using RNA Polymerase III Subunit C7 antibody.



Immunohistochemistry analysis of paraffin-embedded mouse brain using RNA Polymerase III Subunit C7 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded mouse brain using RNA Polymerase III Subunit C7 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.